

PHARMACOGENOMIC TESTING FOR **VORICONAZOLE**

What is pharmacogenomic testing?

Pharmacogenomic testing looks at changes in your genetic code, called polymorphisms, that can affect how you respond to certain medications. Some genetic changes may make it more likely to have side effects from a medication, while other genetic changes may make it less likely that the medication will help treat your symptoms. Knowing whether or not you carry these genetic changes can help your healthcare provider select the medication and/or dose that will work best for you.



Pharmacogenomic testing may not be accurate for people who have received some types of transplants. Talk to your healthcare provider if you are a transplant recipient.

How do genetics affect my response to voriconazole?



Like many medications, voriconazole is processed (metabolized) in your body to get rid of it. This happens with the help of a special protein called CYP2C19. Your body's instructions for making this special protein are located in your DNA. Variations in these instructions can affect how much working CYP2C19 protein your body makes.

People with lower amounts of working CYP2C19 will process medications more slowly. Given the same dose of voriconazole as a person with a "normal" amount of working CYP2C19 protein, they will have more of the drug in their body. These individuals may be at greater risk of experiencing serious side effects with voriconazole.


People with higher amounts of working CYP2C19 will break down medications more rapidly. They will have less voriconazole in their body than people with "normal" amounts of working CYP2C19 protein when given the same dose. These individuals may be at greater risk of experiencing no benefit from voriconazole and may need to be prescribed a different medication.



What can pharmacogenomic testing for voriconazole tell me?

Voriconazole is a medication used to treat potentially fatal fungal infections. Knowing how much working CYP2C19 your body makes can help your healthcare providers select the most appropriate dose of voriconazole for you. Your doctor may also choose a different medication that is not affected by the CYP2C19 protein.

It is important to know that pharmacogenomic testing can influence decisions about which medication may work better for you, but it is not the only factor. Other things that can affect how you respond to a medication include your age, sex, the symptoms of your condition, other medications or supplements you are taking, any other health conditions you have (for example, liver or kidney problems)—and possibly other changes to your genetic code that have not been discovered yet.



What can't this pharmacogenomic test tell me?

- This pharmacogenomic test cannot tell you how your family members might respond to this medication.
- This pharmacogenomic test cannot tell you about your diagnosis.
- This pharmacogenomic test cannot tell you about your risk for diseases.

What else should I know about this test?

Pharmacogenomic testing for voriconazole might provide information about how you'll respond to some, but not all, other medications. This includes both mental health and non-mental health medications. Talk to your healthcare provider for more information on how test results could apply to other medications you may be taking.

What should I do after I receive my test results?

Talk to your doctor or pharmacist about your results to determine whether any changes should be made to your medications. Ask them:

- What do these results mean?
- How will these results affect how I take my medication?
- Do these results affect any other medications I am taking?



DO NOT START, STOP, OR CHANGE DOSES OF YOUR MEDICATIONS WITHOUT CONSULTING YOUR HEALTHCARE PROVIDER.